研究活動

原著論文

| The prognostic impact of worsening renal function | |
|---|----------------------------|
| in Japanese patients undergoing percutaneous | J Cardiol. 2015;66:326-32. |
| coronary intervention with acute coronary | |

学会・研究会での演題発表

| Long- and Short-term Mortality and Risk Factors of | The 79th Annual Scientific Meeting of the |
|--|---|
| Mortality in Japanese Patients with Atrial Fibrillation: | Japanese Circulation Society April 24,2015. |
| Analysis from Shinken Database | , , , , , |
| Inefficient Blood Transport through the Aging Left | The 79th Annual Scientific Meeting of the |
| Ventricle | Japanese Circulation Society April 24,2015. |
| Arterial Stiffness Evaluated by Brachial-Ankle Pulse | The 79th Annual Scientific Meeting of the |
| Wave Velocity Has Prognostic Value of Patients with | Japanese Circulation Society April 24,2015. |
| Heart Failure | Japanese Circulation Society April 24,2015. |
| The Prognostic Impact of Renal Dysfunction at | The 79th Annual Scientific Meeting of the |
| Follow-up (RDF) after Percutaneous Coronary | Japanese Circulation Society April 24,2015. |
| Clinical Course about Renal Function and Prognosis | The 79th Annual Scientific Meeting of the |
| of ACS patients with Worsening Renal Function | Japanese Circulation Society April 24,2015. |
| Left Ventricular Reverse Remodeling 1 Year after | The 79th Annual Scientific Meeting of the |
| Hospitalization for Acute Decompensated Heart | Japanese Circulation Society April 24,2015. |
| Electrocardiogram-based Target of Treatment | The 79th Annual Scientific Meeting of the |
| during Hospitalization with Heart Failure and Atrial | Japanese Circulation Society April 24,2015. |
| Fibrillation Treated with Beta Blockers | Japanese Circulation Society 71pm 2 1,2015. |
| Usefulness Of H2ARDD Score for Predicting Heart | The 79th Annual Scientific Meeting of the |
| Failure Events in Patient With Non-Valvular Atrial | Japanese Circulation Society April 25,2015. |
| Fibrillation | Japanese Circulation Society April 25,2015. |
| Incidence Rates and Predictors of Bleeding | The 79th Annual Scientific Meeting of the |
| Complications under Rivaroxaban in Japanese | Japanese Circulation Society April 25,2015. |
| Patients with Non-valvular Atrial Fibrillation | Japanese Circulation Society 7 April 23,2013. |
| Low Body Weight and Bleeding Risk in Japanese | The 79th Annual Scientific Meeting of the |
| Patients with Nonvalvular Atrial Fibrillation under | Japanese Circulation Society April 25,2015. |
| Non-vitamin K Antagonists Oral Anticoagulants | Japanese en ediation society 7 pm 23/2013. |
| Malnutrition at the Time of Discharge Contributes to | The 79th Annual Scientific Meeting of the |
| Poor Outcome after Hospitalization for Heart Failure | Japanese Circulation Society April 25,2015. |
| in Elderly Patients-Shinken Database 2004-2013 | Japanese Sirediadon Society April 25,2015. |
| Predictive Value of Anemia to Clinical Outcome in | The 79th Annual Scientific Meeting of the |
| Acute Coronary Syndromes in Japan: an | Japanese Circulation Society April 25,2015. |
| Observational Cohort Study | 7 pm 23/2013 |
| Useful Echocardiographic Index Predicting Heart | The 79th Annual Scientific Meeting of the |
| Failure Events in Japanese Patients with Atrial | Japanese Circulation Society April 26,2015. |
| Fibrillation | |

| Incidence Rates and Predictors of Bleeding | |
|--|---|
| Complications under Dabigatran in Japanese | The 79th Annual Scientific Meeting of the |
| Patients with Non-valvular Atrial Fibrillation | Japanese Circulation Society April 26,2015. |
| H2ARDD Score Can Equally Predict Heart Failure | The 70th Append Colombific Machine of the |
| Events in Patients with Atrial Fibrillation Compared | The 79th Annual Scientific Meeting of the |
| with Brain Natriuretic Peptide Statin Administration for Low-Density Lipoprotein | Japanese Circulation Society April 26,2015. |
| Cholesterol Reduction and Goal Attainment to | The 79th Annual Scientific Meeting of the |
| Japanese Acute Coronary Syndrome Patients | Japanese Circulation Society April 26,2015. |
| Undergoing Percutaneous Coronary Intervention Non-HDL Cholesterol, Thyroid Stimulating | The 79th Annual Scientific Meeting of the |
| Hormone, and Prevalence of Atrial Fibrillation in | |
| Patients with Euthyroid Function | Japanese Circulation Society April 26,2015. |
| Drug Adherence of Non-vitamin K Antagonist | The 80th Annual Scientific Meeting of the |
| Anticoagulants Use in Japanese Patients with Non- | |
| valvular Atrial Fibrillation | Japanese Circulation Society March 18,2016. |
| Low-normal Ankle Brachial Index Increases the Risk | The 80th Annual Scientific Meeting of the |
| for Cardiovascular Outcomes in Heart Failure | Japanese Circulation Society March 18,2016. |
| Administration of Beta Blocker in Japanese ACS | The 80th Annual Scientific Meeting of the |
| Patients with Preserved EF after Percutaneous | |
| Coronary Intervention Does not Affect the Prognosis | Japanese Circulation Society March 18,2016. |
| Prognosis of Patients with Gray Zone FFR | The 80th Annual Scientific Meeting of the |
| | Japanese Circulation Society March 18,2016. |
| Poor Warfarin Control Irrespective of High | The 80th Annual Scientific Meeting of the |
| Thromboembolic Risk in Japanese Patients with | Japanese Circulation Society March 18,2016. |
| Non-valvular Atrial Fibrillation under Warfarin | · |
| The Prognostic Value of VE/VCO2 Slope is Vague in | The 80th Annual Scientific Meeting of the |
| Overweight and Obese Patients with Heart Failure | Japanese Circulation Society March 19,2016. |
| Usefulness of the GRACE Score for Predicting a | The 80th Annual Scientific Meeting of the |
| Long-term Prognosis in Patients with Acute | Japanese Circulation Society March 19,2016. |
| Coronary Syndrome in Japan | ., |
| Heart Failure Severity and INR Variability under | The 80th Annual Scientific Meeting of the |
| Warfarin Therapy in Nonvalvular Atrial Fibrillation | Japanese Circulation Society March 19,2016. |
| Patients Relationships between Hypto Lewering | , |
| Relationships between Urate-Lowering | The 80th Annual Scientific Meeting of the |
| Pharmacotherapy and Cardiovascular Events in | Japanese Circulation Society March 19,2016. |
| Patients with Hyperuricemia in a Hospital Cohort | , , , |
| Association between Uric Acid Levels and | The 80th Annual Scientific Meeting of the |
| Cardiovascular Events in Patients with Coronary | Japanese Circulation Society March 19,2016. |
| Artery Disease Predictors of International Normalized Ratio | |
| | The 80th Annual Scientific Meeting of the |
| Variability in Patients with Atrial Fibrillation under | Japanese Circulation Society March 19,2016. |
| Warfarin Therapy | |

| Impact of Gender Difference on Time in Therapeutic | |
|--|--|
| Range and INR Variability in Japanese Non-valvular | The 80th Annual Scientific Meeting of the |
| Atrial Fibrillation Patients | Japanese Circulation Society March 19,2016. |
| Frequency and Predictors of Elevation with D- | TI 0011 A 10 : 10 M 1: 611 |
| dimmer and Soluble Fibrin under Direct Oral | The 80th Annual Scientific Meeting of the |
| Anticoagulants Usage in Atrial Fibrillation Patients | Japanese Circulation Society March 19,2016. |
| Effects of Inappropriate Dosage and Adverse Events | The COURT Assessed Coloration of the |
| in Non-valvular Atrial Fibrillation Patients under | The 80th Annual Scientific Meeting of the |
| Apixaban in a Cardiovascular Hospital | Japanese Circulation Society March 19,2016. |
| Prognosis and Prognostic Factors of Adult | The 80th Annual Scientific Meeting of the |
| Hypertrophic Cardiomyopathy: A Single Hospital | Japanese Circulation Society March 20,2016. |
| Chronotropic Response is an Independent Predictor | The 90th Appual Scientific Meeting of the |
| of Future Heart Failure Events in Patients with Atrial | The 80th Annual Scientific Meeting of the |
| Fibrillation | Japanese Circulation Society March 20,2016. |
| Prognostic Value of E/e' Ratio Measured by | |
| Echocardiography in Patients Underwent | The 80th Annual Scientific Meeting of the |
| Percutaneous Coronary Intervention with Preserved | Japanese Circulation Society March 20,2016. |
| Left Ventricular Ejection Fraction | |
| Association between Perpetuation of Atrial | The 80th Annual Scientific Meeting of the |
| Fibrillation and Brachial-Ankle Pulse Wave Velocity | Japanese Circulation Society March 20,2016. |
| β-Blocker Usage in Symptomatic Heart Failure | The 80th Annual Scientific Meeting of the |
| Patients with Reduced Ejection Fraction and Atrial | Japanese Circulation Society March 20,2016. |
| Fibrillation: Analysis from Shinken Database 2004- | Japanese Circulation Society March 20,2010. |
| Lower GNRI Contributes to Poor Outcome after | The 80th Annual Scientific Meeting of the |
| Percutaneous Coronary Intervention | Japanese Circulation Society March 20,2016. |
| Usefulness of Evaluation by Time in Therapeutic | The 80th Annual Scientific Meeting of the |
| Range and International Normalized Ratio Variability | Japanese Circulation Society March 20,2016. |
| in Atrial Fibrillation Patients under Warfarin Therapy | Supuriese circulation society March 20,2010. |
| Comparing Investigation of the Long-term | The 80th Annual Scientific Meeting of the |
| Outcomes between Japanese ACS Patients Treated | Japanese Circulation Society March 20,2016. |
| with BMSs and DESs: An Observational Cohort | · |
| 低速回転Rotablatorで冠穿孔を来たした1 例 | 第46回日本心血管インターベンション治療学会関 |
| | 東甲信越地方会 2015年5月9日 |
| ヘパリン起因性血小板減少症(HIT)によりAVR術後10日 | 第236回日本循環器学会関東甲信越地方会 |
| 目に血栓弁・右冠動脈完全閉塞を来たした一例 | 2015年6月20日 |
| 冠動脈瘤内の狭窄病変にステント留置後早期にperi | 第236回日本循環器学会関東甲信越地方会 |
| stent contrast stainingを来した一例 | 2015年6月20日 |
| 機能的片腎に生じた重度腎動脈狭窄に対する血管内治療 | 第616回日本内科学会関東地方会 2015年7月19 |
| が心不全コントロールに奏功した1例 | 日 |
| Gender difference of clinical characteristics and | 0.4770045 7 4 5 4 5 6 4 5 6 4 |
| outcomes of Japanese patients with ACS | CVIT2015 July 31,2015. |
| undergoing PCI | |
| Impact of Vitamin K-antagonists treatment on the | The 30th Annual Meeting of the Japanese |
| prognosis ofatrial fibrillation patients with severe | Heart Rhythm Society July 31,2014. |
| renal dysfunction: Analysis from Shinken Database | |

| Ankle brachial index as an independent predictor | The30th Annual Meeting of the Japanese |
|--|--|
| ofmortality in Japanese patients with non-valvular | |
| atrial fibrillation | Heart Rhythm Society July 31,2014. |
| 本邦の大動脈弁・大動脈基部手術の現状 | 第68回日本胸部外科学会定期学術集会 |
| | 2015年10月20日 |
| LAD入口部のCTOに対する治療にDCAが有効であった一 | 第47回日本心血管インターベンション治療学会関 |
| 例 | 東甲信越地方会 2015年10月24日 |
| 機能的片腎に生じた重度腎動脈狭窄に対する血管内治療 | 第47回日本心血管インターベンション治療学会関 |
| が心不全コントロールに奏功した一例 | 東甲信越地方会 2015年10月24日 |
| たこつぼ型心筋症急性期にQT延長を認めTorsade de | 第239回日本循環器学会関東甲信越地方会 |
| pointesを合併した持続性心房細動の1例 | 2016年2月6日 |
| 2 臓器のmalperfusion を呈した急性A 型大動脈解離に | 第170回日本胸部外科学会関東甲信越地方会 |
| 対しpartial root remodeling を施行した1 例 | 2016年3月12日 |
| NOAC投与後に顕著な血小板減少を認めた2例 | 第5回Mid Tokyo不整脈研究会 2015年6月12日 |
| 心房中隔への焼灼後遠隔期に両心房を回路に含む心房頻 | カテーテルアブレーション関連秋季大会2015 |
| 拍が誘発された1例 | 2015年10月16日 |
| Slow-slow type AVNRTの再発に対して室房伝導の焼灼 | カテーテルアブレーション関連秋季大会2015 |
| に難渋し、冠静脈洞入口部の全周性焼灼を要した1症例 | 2015年10月16日 |
| WPW症候群アブレーション時、合併する発作性心房細動 | 第21回東京不整脈ディベートカンファレンス |
| は若年であっても同時にアブレーションをすべきである | |
| Pro-Speech | 2015年11月13日 |
| 多様な不整脈を呈した心アミロイドーシスの一例 | 第28回臨床不整脈研究会 2016年1月16日 |
| 心房細動アブレーション後に両心房を回路に含む心房頻 | 第7回東京アブレーションフォーラム |
| 拍が誘発された3例 | 2016年2月12日 |
| Physiological assessment of the left coronary artery | |
| and anomalous origin from the right coronary cusp | FRIENDS Live 2016 |
| with moderate stenosis in mid portion using | 2016年3月4日 |
| dobutamin stress test | |

論文投稿

| 上室性不整脈(上質性頻拍,心房粗動・心房細動) | 内科 115:1070,2015. |
|---------------------------|------------------------|
| 心臓性急死 | 内科 115:1100,2015. |
| 知っておきたい抗凝固薬の使い方 古きよきワルファリ | レジデントノート 17:1789,2015. |
| ンから新薬の特徴まで | レシテントノート 17:1789,2015. |
| プライマリーケアにおける救急患者の診断と初期治療 | 臨牀と研究 92:1260,2015. |
| 胸部症状 – 動悸 | |
| 非弁膜症性心房細動 | medicina 52:2348,2015. |