

2008 年度

Low-density lipoprotein (LDL), which includes apolipoprotein A-I (apoA1-LDL) as a novel marker of coronary artery disease.

Ogasawara K, Mashiba S, Hashimoto H, Kojima S, Matsuno S, Takeya M, Uchida K, Yajima J.

Clin Chim Acta. **2008** Nov;397(1-2):42-7. doi: 10.1016/j.cca.2008.07.014. Epub **2008** Jul 18.

PMID:18691566

[PubMed - indexed for MEDLINE]

[Related citations](#)

Short- or long-term outcomes of coronary artery aneurysms occurring after directional coronary atherectomy.

Oikawa Y¹, Yajima J, Angiolillo DJ, Akabane M, Funada R, Matsuno S, Inaba T, Nakagawa Y, Nakamura M, Sawada H, Aizawa T. J Invasive Cardiol. 2008 Apr;20(4):159-60.

PMID:18398229

[PubMed - indexed for MEDLINE]

AGEs-RAGE system mediates atrial structural remodeling in the diabetic rat.

Kato T, Yamashita T, Sekiguchi A, Tsuneda T, Sagara K, Takamura M, Kaneko S, Aizawa T, Fu LT.

J Cardiovasc Electrophysiol. **2008** Apr;19(4):415-20. doi: 10.1111/j.1540-8167.2007.01037.x. Epub **2008** Feb 21.

PMID:18298515

[PubMed - indexed for MEDLINE]

[Related citations](#)

Prevalence and prognosis of patients with atrial fibrillation in Japan: a prospective cohort of Shinken Database 2004.

Suzuki S, Yamashita T, Ohtsuka T, Sagara K, Uejima T, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Ogasawara K, Sawada H, Aizawa T.

Circ J. **2008** Jun;72(6):914-20.

PMID:18503216

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Determination of the V.E/V.CO2 slope from a constant work-rate exercise test in cardiac patients.

Hoshimoto-Iwamoto M, Koike A, Nagayama O, Tajima A, Uejima T, Adachi H, Aizawa T, Wasserman K.

J Physiol Sci. 2008 Aug;58(4):291-5. doi: 10.2170/physiolsci.RP006108. Epub 2008 Jul 24.

PMID:18647443

[PubMed - indexed for MEDLINE]

[Related citations](#)

Clinical significance of cerebral oxygenation during exercise in patients with coronary artery disease.

Koike A, Nagayama O, Hoshimoto-Iwamoto M, Suzuki T, Tajima A, Uejima T, Aizawa T.

Circ J. 2008 Nov;72(11):1852-8. Epub 2008 Oct 3.

PMID:18832776

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Black hole" restenosis after sirolimus-eluting stent implantation.

Shiratori Y, Oikawa Y, Yajima J.

J Invasive Cardiol. 2008 Aug;20(8):E253-5.

PMID:18688075

[PubMed - indexed for MEDLINE]

[Related citations](#)

Prognostic value of end-tidal CO2 pressure during exercise in patients with left ventricular dysfunction.

Hoshimoto-Iwamoto M, Koike A, Nagayama O, Tajima A, Suzuki T, Uejima T, Sawada H, Aizawa T.

J Physiol Sci. 2009 Jan;59(1):49-55. doi: 10.1007/s12576-008-0004-8. Epub 2008 Nov 30.

PMID:19340561

[PubMed - indexed for MEDLINE]

[Related citations](#)

Prognostic value of heart rate profiles during cardiopulmonary exercise testing in patients with cardiac disease.

Goda A, Koike A, Iwamoto MH, Nagayama O, Yamaguchi K, Tajima A, Sawada H, Itoh H, Isobe M, Aizawa T.

Int Heart J. 2009 Jan;50(1):59-71.

PMID:19246847

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Prognostic value of heart rate variability in patients with renal failure on hemodialysis.

Oikawa K, Ishihara R, Maeda T, Yamaguchi K, Koike A, Kawaguchi H, Tabata Y, Murotani N, Itoh H.

Int J Cardiol. 2009 Jan 24;131(3):370-7. doi: 10.1016/j.ijcard.2007.10.033. Epub 2008 Jan 15.

PMID:18199499

[PubMed - indexed for MEDLINE]

[Related citations](#)

Peak VO(2) is more potent than B-type natriuretic peptide as a prognostic parameter in cardiac patients.

Kubozono T, Itoh H, Oikawa K, Tajima A, Maeda T, Aizawa T, Iinuma H, Tokuda Y, Ohashi Y, Fu LT.

Circ J. 2008 Apr;72(4):575-81.

PMID:18362428

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Manganese superoxide dismutase polymorphism affects the oxidized low-density lipoprotein-induced apoptosis of macrophages and coronary artery disease.

Fujimoto H, Taguchi J, Imai Y, Ayabe S, Hashimoto H, Kobayashi H, Ogasawara K, Aizawa T, Yamakado M, Nagai R, Ohno M.

Eur Heart J. 2008 May;29(10):1267-74. Epub 2007 Oct 29.

PMID:17967822

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Optimal treatment strategy for patients with paroxysmal atrial fibrillation: J-RHYTHM Study.

Ogawa S, Yamashita T, Yamazaki T, Aizawa Y, Atarashi H, Inoue H, Ohe T, Ohtsu H, Okumura K, Katoh T, Kamakura S, Kumagai K, Kurachi Y, Kodama I, Koretsune Y, Saikawa T, Sakurai M, Sugi K, Tabuchi T, Nakaya H, Nakayama T, Hirai M, Fukatani M, Mitamura H; J-RHYTHM Investigators.

Circ J. 2009 Feb;73(2):242-8. Epub 2008 Dec 8.

PMID:19060419

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)